

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/028,385	12/21/2001	Joseph Meehan	US 010603	4892	
24737	7590 07/10/2006	EXAMINER			
PHILIPS IN	NTELLECTUAL PROPI	NGUYEN,	NGUYEN, DUNG X		
P.O. BOX 30	001				
BRIARCLIF	F MANOR, NY 10510	ART UNIT	PAPER NUMBER		
	·		2611		
		DATE MAIL ED. 07/10/2006			

Please find below and/or attached an Office communication concerning this application or proceeding.

					47		
		Application	on No.	Applicant(s)			
Office Action Summary		10/028,38	35 (	MEEHAN ET AL.			
		Examiner	,	Art Unit			
		Dung X. N		2611			
Period fo	The MAILING DATE of this communicator Reply	tion appears on the	cover sheet with the	correspondence addres	SS		
THE - Exte after - If the - If NO - Failt Any	IORTENED STATUTORY PERIOD FOR MAILING DATE OF THIS COMMUNICA ensions of time may be available under the provisions of 37 SIX (6) MONTHS from the mailing date of this communic experiod for reply specified above; the maximum statuto pretore to reply within the set or extended period for reply will, reply received by the Office later than three months after the patent term adjustment. See 37 CFR 1.704(b).	TION. 7 CFR 1.136(a). In no ever action. ays, a reply within the stat ry period will apply and w by statute, cause the app	ent, however, may a reply be utory minimum of thirty (30) d ill expire SIX (6) MONTHS fro lication to become ABANDO	timely filed  ays will be considered timely.  m the mailing date of this commu  NED (35 U.S.C. § 133).	unication.		
Status							
1)	Responsive to communication(s) filed o	n 31 December 2	005				
	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.						
3)	,—						
,—	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposit	ion of Claims						
5)⊠ 6)⊠ 7)⊠	Claim(s) <u>1 - 22</u> is/are pending in the apple 4a) Of the above claim(s) is/are vectors [s/are allowed.  Claim(s) <u>1 - 6, 10 - 14, 17 - 22</u> is/are reclaim(s) <u>7, 8, 15, and 16</u> is/are objected Claim(s) are subject to restriction	withdrawn from co ejected. d to.					
Applicat	ion Papers						
10)⊠	The specification is objected to by the E The drawing(s) filed on <u>21 December 20</u> Applicant may not request that any objection Replacement drawing sheet(s) including the The oath or declaration is objected to by	001 is/are: a)⊠ a n to the drawing(s) b e correction is requir	oe held in abeyance. Seed if the drawing(s) is o	See 37 CFR 1.85(a). Objected to. See 37 CFR 1	.121(d).		
Priority :	under 35 U.S.C. § 119						
а)	Acknowledgment is made of a claim for All b) Some * c) None of:  1. Certified copies of the priority doc  2. Certified copies of the priority doc  3. Copies of the certified copies of the application from the International See the attached detailed Office action for	cuments have bee cuments have bee he priority docume Bureau (PCT Rul	en received. en received in Applica ents have been recei e 17.2(a)).	ation No ved in this National Sta	ge		
	ce of References Cited (PTO-892)		4) Interview Summa				
3) Infor	ce of Draftsperson's Patent Drawing Review (PTO-mation Disclosure Statement(s) (PTO-1449 or PTC PTO-1449 or PTC		Paper No(s)/Mail 5) Notice of Informa 6) Other:	Date  Patent Application (PTO-152	2)		

Application/Control Number: 10/028,385 Page 2

Art Unit: 2611

#### Response to Arguments

1. Applicant's arguments, filed on October 31, 2005 have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of new found references...

# Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1, 2, 10, 17, and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shen et al. (US patent # 6,483,884 B1), and further in view of Perreault et al. (US patent # 6,169,728 B1).

Regarding to claim 1, Shen et al. teaches a method for enhancing the signal reception of a digital wireless receiver, the method comprising the steps of:

- Extracting a preamble information from a plurality of incoming signals (see "N bits preamble in figure 4);
- Processing a first predetermined portion of the preamble information with a first antenna to produce a first preamble sequence (the first half of N bits preamble inputting in 404 in figure 4);
- Processing a second predetermined portion of the preamble information with a second antenna to produce a second preamble sequence (the second half of N bits preamble inputting in 402 in figure 4);

Application/Control Number: 10/028,385 Page 3

Art Unit: 2611

- Calculating a quality indicator for the first preamble received from the first antenna and the second preamble received from the second antenna (402, 404 in figure 4); and

- Selecting one of the first antenna and the second antenna having a better quality for subsequent reception of the incoming signal (406 of figure 4).

Shen et al. teaches the quality indicator is the received signal strength indicator (RSSI) instead of the claimed mean-square error (MSE). Prerreault et al. teaches that MSE may be used to replace RSSI as the quality indicator (column 4, lines 22 - 25, column 3, line 60).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to use MSE instead of RSSI as the quality indicator in the system taught by Shen et al. because MSE provides a better quality information (because error information is provided rather than signal strength information). Note the selection of antenna with lower MSE would be inherent because of better quality.

Regarding claim 2, Shen et al in view Prerrault et al. teaches calculating MSE from preamble. In order to calculate MSE, the comparison of the preamble with a predefined (known) preamble is inherent.

Regarding to claim 10, Shen et al. teaches a method for enhancing the signal reception of a digital wireless receiver, the method comprising the steps of:

- Receiving a plurality of incoming signal, each including header information; (see "N bits preamble in figure 4);
- Dividing the header information of the incoming signals to process the divided header information by a first antenna and a second antenna (see the first half of N bits preamble inputting to 404 and the second half of N bits preamble inputting to 402),
- Calculating (figure 4) the header information from the first antenna and the second antenna (402, 404) to obtain a quality comparison, and
- Selecting one of the first antenna and the second antenna having a better quality for subsequent reception of the incoming signals (column 3, lines 29 45).

Shen et al. teaches the quality indicator is the received signal strength indicator (RSSI) instead of the claimed mean-square error (MSE). Prerreault et al. teaches that MSE may be used to replace RSSI as the quality indicator (column 4, lines 22 - 25, column 3, line 60).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to use MSE instead of RSSI as the quality indicator in the system taught by Shen et al. because MSE provides a better quality information (because error information is provided rather than signal strength information). Note the selection of antenna with lower MSE would be inherent because of better quality. In order to obtain MSE, the comparison of the preamble with a predefined (known) preamble is inherent.

#### Regarding to claim 17, Shen et al discloses (figure 1 and 4):

- A first antenna for receiving the incoming signals; (antenna 0 in figure 1 or figure 2)
- A second antenna for receiving the incoming signals (antenna 1 in figure 1 or figure 2);
- A processing circuit for processing a preamble information of incoming signals, wherein a first predetermined portion of the preamble is applied to a first antenna and a second predetermined portion of the preamble is applied to a second to produce a plurality of processed signals (see "N bits preamble" in figure 4),
- Calculating a quality indicator form the processed signals (402, 404 in figure 4), and
- Selecting circuit for selecting one of the first antenna and the second antenna having a better quality for subsequent reception of the incoming signals (406 in figure 4).

Shen et al. teaches the quality indicator is the received signal strength indicator (RSSI) instead of the claimed mean-square error (MSE). Prerreault et al. teaches that MSE may be used to replace RSSI as the quality indicator (column 4, lines 22 – 25, column 3, line 60).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to use MSE instead of RSSI as the quality indicator in the system taught by Shen et al. because MSE provides a better quality information (because error information is

Art Unit: 2611

provided rather than signal strength information). Note the selection of antenna with lower MSE would be inherent because of better quality. In order to obtain MSE, the comparison of the preamble with a predefined (known) preamble is inherent.

### Regarding to claim 20, Shen et al discloses (figure 1 and 4):

- A first antenna for receiving the incoming signals; (antenna 0 in figure 1 or figure 2)
- A second antenna for receiving the incoming signals (antenna 1 in figure 1 or figure 2);
- A processing circuit for processing a preamble information of incoming signals, wherein a first predetermined portion of the preamble is applied to a first antenna and a second predetermined portion of the preamble is applied to a second to produce a plurality of processed signals (see "N bits preamble" in figure 4),
- Calculating a quality indicator form the processed signals (402, 404 in figure 4), and
- Selecting circuit for selecting one of the first antenna and the second antenna having a better quality for subsequent reception of the incoming signals (406 in figure 4).

Shen et al. teaches the quality indicator is the received signal strength indicator (RSSI) instead of the claimed mean-square error (MSE). Prerreault et al. teaches that MSE may be used to replace RSSI as the quality indicator (column 4, lines 22 – 25, column 3, line 60).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to use MSE instead of RSSI as the quality indicator in the system taught by Shen et al. because MSE provides a better quality information (because error information is provided rather than signal strength information). Note the selection of antenna with lower MSE would be inherent because of better quality. In order to obtain MSE, the comparison of the preamble with a predefined (known) preamble is inherent.

3. Claims 4, 5, 11, 19, and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shen et al. (US patent # 6,483,884 B1) in view of Perreault et al. (US patent # 6,169,728 B1), and further in view of Popovic' (US patent # 6,567,482 B1).

Regarding claim 4, as followed by the limitations analyzed in claim 1, Shen et al. in view of Perreault et al. do not teach the claimed demodulating step. However, such step is well known and necessary to locate the preamble portion in the received signals in a wireless environment. Popovic' teach that, in order to locate the preamble, the received signals need to be demodulated (i.e. down-converted) from radio frequency to baseband (column 9, lines 31 – 46).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to combine Shen et al., Perreault et al., and Popovic' to perform the demodulating step so as to locate the preamble at the baseband.

**Regarding claim 5,** as followed by the limitations analyzed in claim 1, the limitations are analyzed in the same manner set forth as claim 4.

Regarding claim 11, as followed by the limitations analyzed in claim 10, the limitations are analyzed in the same manner set forth as claim 4.

Regarding claim 19, as followed by the limitations analyzed in claim 17, the limitations are analyzed in the same manner set forth as claim 4.

**Regarding claim 22**, as followed by the limitations analyzed in claim 20, the limitations are analyzed in the same manner set forth as claim 4.

4. Claims 6, 7, 13, and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shen et al. (US patent # 6,483,884 B1), Perreault et al. (US patent # 6,169,728 B1), and further in view of Werner et al. (US patent # 6,069,917).

Regarding claim 6, as followed by the limitations analyzed in claim 1, Shen et al in view Prerrault et al. do not teach that the selection of antenna is made based on the comparison of one of the MSE's to a predetermined threshold. However, such comparison is well known. Werner et

Application/Control Number: 10/028,385

Art Unit: 2611

al. teaches making a selection based on a comparison between the MSE and a predetermined threshold (column 5, lines 50 - 53).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to compare the MSE with a threshold so as to make the system perform above a desired quality defined by the predetermined threshold.

**Regarding claim 7,** as followed by the limitations analyzed in claim 6, the limitation is analyzed in the same manner set forth as claim 6.

**Regarding claim 13,** as followed by the limitations analyzed in claim 10, the limitation is analyzed in the same manner set forth as claims 6 and 7.

**Regarding claim 14,** as followed by the limitations analyzed in claim 13, the limitation is analyzed in the same manner set forth as claims 6 and 7.

5. Claims 3, 12, 18, and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shen et al. (US patent # 6,483,884 B1), Perreault et al. (US patent # 6,169,728 B1), and further in view of Hirose et al. (US patent # 5,181,161).

Regarding claim 3, as followed by the limitations analyzed in claim 2, Shen et al. and Perreault et al. differ from the instant claimed invention that the does not specify the where in the predefine preamble sequence is known priori.

However, Hirose et al. discloses that wherein the predefine preamble sequence is known priori (column 3, lines 3 - 5).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to combine Shen et al., Perreault et al., and Hirose et al. to provide a reference for the receiver to determine quality. rate and follow ability required to the filter (column 3, lines 30 - 34 of Hirose et al.).

Regarding claim 12, as followed by the limitations analyzed in claim 10, the limitation is analyzed in the same manner set forth as claim 3.

Regarding claim 18, as followed by the limitations analyzed in claim 17, the limitation is analyzed in the same manner set forth as claim 3.

Regarding claim 21, as followed by the limitations analyzed in claim 10, the limitation is analyzed in the same manner set forth as claim 3

#### Allowable Subject Matte

6. Claims 8 – 9 and 15 - 16 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

#### Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Ikawa et al. (US patent # 5,960,336) discloses a data receiving apparatus.

Masuda (US patent # 5,781,592) discloses a selective diversity system.

## **Contact Information**

Any inquiry concerning this communication or earlier communications from the 8. examiner should be directed to Dung X. Nguyen whose telephone number is (571) 272-3010. The examiner can normally be reached on Monday through Friday from 8:00 AM to 17:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Fan, Chieh M. can be reached on (571) 272-3012. The fax phone numbers for this group is (571) 273-3021.

Application/Control Number: 10/028,385 Page 9

Art Unit: 2611

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571) 272-2600.

DXN

July 06, 2006

CHIEH M. FAN
SUPERVISORY PATENT EXAMINER